| Trade mark | BLAUBERG | | | | | |
|---|-------------------------------------|-----|---------|-----|------|-----|
| Model | Iso 125-2e | | | | | |
| Specific energy consumption (SEC), kWh/(m².a) | Cold | | Average | | Warm | |
| | -52 | A+ | -24,9 | С | -9,4 | F |
| Type of ventilation unit | Unidirectional | | | | | |
| Type of drive installed | Multi-speed | | | | | |
| Type of heat recovery system | None | | | | | |
| Thermal efficiency of heat recovery, % | N/A | | | | | |
| Maximum flow rate, m³/h | 525 | | | | | |
| Electric power input, W | 120 | | | | | |
| Sound power level, dB(A) | 38 | | | | | |
| Reference flow rate, m³/s | 0,102 | | | | | |
| Reference pressure difference, Pa | 50 | | | | | |
| Specific power input (SPI), W/(m³/h) | 0,18 | | | | | |
| Control typology | Local demand control | | | | | |
| Maximum internal leakage rates, % | N/A | | | | | |
| Maximum external leakage rates, % | 2,7 | | | | | |
| Internet address | https://www.blaubergventilatoren.de | | | | | |
| The annual electricity consumption (AEC), kWh electricity/a | Co | old | Aver | age | Wa | ırm |
| | 13 | 34 | 13 | 34 | 13 | 34 |
| The annual heating saved (AHS), kWh primary energy/a | Co | old | Aver | age | Wa | ırm |
| | 5 5 | 36 | 28 | 30 | 1 2 | 280 |